



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NOV 2 1998

Indianapolis Division
6964 Hillsdale Ct.
Indianapolis, IN 46250
Tel: (317) 842-4261
Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

10/28/1998

NET Job Number: 98.07308
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: TWICE WEEKLY WASTEWATER

Sample Number	Sample Description	Date Taken	Date Received
221826	OUTFALL 001	10/20/1998	10/22/1998

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Project Representative

MIL0004616



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NOV 9 1998

Indianapolis Division
6964 Hillside Ct.
Indianapolis, IN 46250
Tel: (317) 842-4261
Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

10/28/1998

Job No.: 98.07308

Page 2 of 3

Date Received: 10/22/1998

Job Description: TWICE WEEKLY WASTEWATER

Sample Number / Sample I.D.	Sample Date/	Analyst &	Reporting
Parameters	Units	Date Analyzed	Limit
221826	OUTFALL 001	10/20/1998	
Iron, ICP	5.3	mg/L	psc / 10/28/1998
Lead, ICP	<0.080	mg/L	psc / 10/28/1998
Silver, ICP	<0.020	mg/L	psc / 10/28/1998
Zinc, ICP	0.27	mg/L	psc / 10/28/1998

MIL0004617



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NOV 3 1998

Indianapolis Division
6964 Hillsdale Ct.
Indianapolis, IN 46250
Tel: (317) 842-4261
Fax: (317) 842-4286

FIELD REPORT

JOB #: 98.07308
CLIENT: MILBANK MFG.
PROJECT: TWICE WEEKLY WASTEWATER
DATE: 10/20/98
SAMPLER(S): MTM/CAB

An ISCO model 3710 auto sampler was used in the composite mode of operation. The sampler was equipped with a plastic composite jug, tygon suction line, battery, ice, and strainer.

All reusable equipment is decontaminated withalconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 8 hours.

Monitoring start 7:30 on 10/20/98
Monitoring end 15:00 on 10/20/98

The composite sample was clear with a gray tint.

Notes: Samples were preserved, in the field, in the appropriate containers with any required preservative.

MIL0004618



COMPANY MilBar Mfg.
ADDRESS 1400 E. HAVENS ST.
PHONE 765.452.5694 FAX _____
PROJECT NAME/LOCATION Twice Weekly Westmets
PROJECT NUMBER _____
PROJECT MANAGER Mr. Richard Tyler

NET QUOTE NO. 78-006 C

MIL0004619